

**AMENDMENTS TO THE CLAIMS**

The following claim set replaces all prior versions, and listings, of claims in the application:

1. (Currently Amended) Flame-retardant superabsorbent polymer (SAP) particles comprising a superabsorbent polymer particle and a dried residue of an aqueous inorganic flame retardant solution in an amount between about 25 wt.% to about 500 wt.% sufficient to render the superabsorbent particle flame-retardant.
2. (Original) The SAP particles as in claim 1, wherein the inorganic flame retardant includes at least one phosphorus-containing flame retardant.
3. (Currently Amended) The SAP particles as in claim 2, wherein the inorganic flame retardant is at least one selected from the group consisting of phosphoric acid and sodium salt derivatives thereof, phosphorous acid and sodium salt derivatives thereof, ammonium orthophosphate, ammonium hypophosphate, ammonium hydrogen phosphate, ammonium dihydrogen phosphate, ammonium hypophosphite, and ammonium dihydrogen ~~orthophosphate~~ orthophosphate.
4. (Currently Amended) The SAP particles as in claim 1, wherein the inorganic flame retardant is ~~present in an amount of between about 1 to about 500 wt.%, based on the total weight of the flame retardant SAP particles~~ at least one selected from the group consisting of boric acid, sodium tetraborate and hydrates thereof, sodium metaborate and hydrates thereof, and zinc borate.
- 5 - 11. (Cancelled)
12. (Currently Amended) A method of making flame-retardant superabsorbent polymer (SAP) particles comprising hydrating SAP particles with an aqueous inorganic flame-retardant solution in an amount between about 25 wt.% to about 500 wt.% sufficient to render the SAP particles flame-retardant when dried.

13. (Original) The method of claim 12, which further comprises drying the hydrated SAP particles to remove water and leave a dried residue of the inorganic flame-retardant solution physically within the SAP particles.

14. (Original) The method of claim 12 or 13, wherein the inorganic flame retardant includes at least one phosphorus-containing flame retardant.

15. (Currently Amended) The method of claim 14, wherein the inorganic flame retardant is at least one selected from the group consisting of phosphoric acid and sodium salt derivatives thereof, phosphorous acid and sodium salt derivatives thereof, ammonium orthophosphate, ammonium hypophosphate, ammonium hydrogen phosphate, ammonium dihydrogen phosphate, ammonium hypophosphite, and ammonium dihydrogen ~~orthophosphate~~ orthophosphite.

16. (Original) The method of claim 15, wherein the inorganic flame retardant is present in an amount of between about 1 to about 500 wt.%, based on the total weight of the flame retardant SAP particles ~~at least one selected from the group consisting of boric acid, sodium tetraborate and hydrates thereof, sodium metaborate and hydrates thereof, and zinc borate~~.

17 -33. (Cancelled)

34. (New) The method of claim 12, wherein the flame-retardant solution is present in an amount between about 25 wt.% to about 200 wt.%.

35. (Previously Presented) Flame-retardant superabsorbent polymer (SAP) particles comprising a superabsorbent polymer particle and a dried residue of an aqueous inorganic flame retardant solution in an amount between about 25 wt.% to about 200 wt.% sufficient to render the superabsorbent particle flame-retardant.

36. (Previously Presented) The SAP particles as in claim 35, wherein the inorganic flame retardant includes at least one phosphorus-containing flame retardant.

**ROGERS et al**  
**Serial No. 10/829,443**  
**May 11, 2005**

37. (Currently Amended) The SAP particles as in claim 36, wherein the inorganic flame retardant is at least one selected from the group consisting of phosphoric acid and sodium salt derivatives thereof, phosphorous acid and sodium salt derivatives thereof, ammonium orthophosphate, ammonium hypophosphate, ammonium hydrogen phosphate, ammonium dihydrogen phosphate, ammonium hypophosphite, and ammonium dihydrogen ~~orthophosphate~~ orthophosphite.

38. (New) The SAP particles as in claim 35, wherein the inorganic flame retardant is at least one selected from the group consisting of boric acid, sodium tetraborate and hydrates thereof, sodium metaborate and hydrates thereof, and zinc borate.